

Dynamical Classes of Collective Attention in Twitter

Janette Lehmann
Web Research Group,
Universitat Pompeu Fabra
Barcelona, Spain
janette.lehmann@gmx.de

José J. Ramasco
IFISC (CSIC-UIB)
Palma de Mallorca, Spain
jramasco@ifisc.uib.es

Bruno Gonçalves
College of Computer and
Information Sciences
Northeastern University
b.goncalves@neu.edu

Ciro Cattuto
ISI Foundation
Torino, Italy
ciro.cattuto@isi.it

ABSTRACT

Micro-blogging systems such as Twitter expose digital traces of social discourse with an unprecedented degree of resolution of individual behaviors. They offer an opportunity to investigate how a large-scale social system responds to exogenous or endogenous stimuli, and to disentangle the temporal, spatial and topical aspects of users' activity. Here we focus on spikes of collective attention in Twitter, and specifically on peaks in the popularity of hashtags. Users employ hashtags as a form of social annotation, to define a shared context for a specific event, topic, or meme. We analyze a large-scale record of Twitter activity and find that the evolution of hashtag popularity over time defines discrete classes of hashtags. We link these dynamical classes to the events the hashtags represent and use text mining techniques to provide a semantic characterization of the hashtag classes. Moreover, we track the propagation of hashtags in the Twitter social network and find that epidemic spreading plays a minor role in hashtag popularity, which is mostly driven by exogenous factors.

Categories and Subject Descriptors

H.3.5 [Information Storage and Retrieval]: Online Information Services—*Web-based services*; H.1.2 [Models and Principles]: User/Machine Systems; J.4 [Computer Applications]: Social and Behavioral Sciences—*Sociology*

Keywords

online social networks, micro-blogging, content analysis

1. INTRODUCTION

Popularity plays a major role in the dynamics of online systems. Public attention can suddenly concentrate on a Web page or application [1, 2, 3, 4, 5, 6], a Youtube video [7, 8, 9], a trending topic in Twitter [10, 11, 12], or on a story in the news media [13], sometimes even in absence of an apparent reason. Typically, after an initial increase of attention, the focus will move elsewhere leaving as a trace a characteristic activity profile. Such popularity peaks are not only of great relevance for the monetization of online content,

but also pose scientific challenges related to understanding the mechanisms ruling their dynamics [2, 7, 4, 14, 11]. In particular, specific features of the popular item under consideration can now be related to its activity profile by means of semantic analysis and natural language processing of the messages exchanged by the users [3, 15, 16].

Here we use data from the Twitter micro-blogging system to investigate the relation between activity profiles over time and content. There are several reasons for selecting Twitter: It is one of the most popular online social networks, part of its message stream is programmatically accessible to the public [17], and the content of the messages is short, making it amenable to automated processing. Twitter is used as an hybrid between a communication media and an online social network [10, 16] and hosts real-time discussion of current topics of popular interest. We take advantage of the practice introduced by Twitter users of attaching “hashtags” to their messages as a way of explicitly marking the relevant topics. Twitter has incentivated this practice by supporting hashtags in their Web interface and in their programmatic API, turning them into lightweight social annotations of the information streams users consume. Here we focus our analysis on those hashtags that exhibited a popularity peak during our observation period, and systematically analyze the corresponding messages (“tweets”) by grounding the words they contain in a semantic lexicon.

This paper is structured as follows: Section 2 reviews the literature on Twitter and in particular the literature on temporal patterns of Twitter activity. Section 3 describes the Twitter dataset we used and the techniques we applied to select popular hashtags and their usage patterns. In Section 4 we identify dynamical classes of hashtag usage and relate them to the semantics of the corresponding tweets. In Section 5 we relate the same dynamical classes to the spreading properties of hashtags over the underlying social network. Section 6 summarizes our findings and points to applications and further research directions.

2. RELATED WORK

Several aspects of Twitter have been extensively investigated in the literature, including its network topology [18, 19, 20], the relations and types of messages between users [21, 22], the internal information propagation [23, 24, 25], the credibility of information [26, 27], and even its potential as

Copyright is held by the International World Wide Web Conference Committee (IW3C2). Distribution of these papers is limited to classroom use, and personal use by others.

WWW 2012, April 16–20, 2012, Lyon, France.
ACM 978-1-4503-1229-5/12/04.

an indicator of the state of mind of a population [28, 29, 30, 31, 32, 25].

The possibility that popular trends or hashtags could be classified in groups have been discussed in Refs. [10, 16, 12], and the effect of semantic differences on the persistence of a hashtag have also been considered [33]. The shape of peaks in popularity profiles has been used to classify the events in groups [7, 10, 34, 12]. The hypothesis that both the increase and decrease of public attention follow a power-law-like functional shape whose exponents define universality classes, in parallel to what occurs with phase transitions in critical phenomena, has been explored [7]. This approach, however, is difficult to apply to Twitter: the fast timescales involved and the highly reactive nature of Twitter make the time series very noisy and pose the challenge of characterizing activity dynamics in a way which is both robust and scalable.

The causes that underlie the existence of distinct classes of popularity are thought to be a combination of all the mechanisms that drive public attention. News regarding a popular item can propagate either over the social network of the users of a given system – a so-called endogenous process – or it can be injected through mass media (exogenous driving). The duality between exogenous and endogenous information propagation has permeated the analysis of popularity in several recent studies [7, 10, 8, 9], even though it is not always clear how to distinguish between them based solely on the shape of the respective popularity profiles [9].

3. DATA

Our dataset comprises about 130 million Twitter messages or *tweets* posted between November 20, 2008 and May 27, 2009. The data were collected at Indiana University thanks to their temporary privileged access to the Twitter data stream [35]. Each tweet includes textual content, an author, the time at which it was posted, whether or not it was in reply to another tweet, and additional metadata. The collected tweets come from about 6.1 million unique user accounts.

In order to build a representation of the social network over which hashtag diffusion takes place, we queried the Twitter REST API for the complete list of followers and friends of 3.5 million users. We collected neighbor information for 2.7 million of them, the discrepancy being accounted for by users with a private profile. Using this information we constructed a directed follower network, where each edge takes on the direction in which information flows: if user A follows user B, the respective social link points from B to A, as A can see B’s status updates.

3.1 Hashtags Selection

For the identification of topics, we extracted all the hashtags contained in the Twitter messages (by matching the tweet content to the pattern “[a-zA-Z0-9_]*”). Our dataset includes about 400,000 distinct hashtags (see Table 1). We selected the most popular topics by restricting our data to the hashtags used by at least 500 distinct users and to the messages containing at least one of such hashtags. Based on this selection, we used for the following analysis about 1.7 million tweets and 402 popular hashtags.

3.2 Activity Peak Detection

Like most systems driven by human actions, Twitter exhibits bursty activity, circadian rhythms, and in general the

total number of tweets	131,737,688
total number of tweets with hashtags	4,292,929
total number of hashtags	408,254
total number of users	6,477,072
average number of tweets per user	20.34

Table 1: General statistics about the dataset

full temporal complexity of a large-scale social aggregate. Because of this, there is no single natural scale for investigating its temporal behavior, and the choice of a time scale is not neutral with respect to the phenomena one can study at that scale. Here we choose to investigate activity at the scale of days, i.e., we do not study human dynamics at the level of minutes and seconds, nor phenomena driven by the circadian cycle, nor slower trends that develop over several weeks of months. We analyze daily activity levels, and focus on events that are meaningful at that scale, such as the wait for a scheduled social event.

At the daily scale the popularity profile of hashtags can look very different. On visual inspection the individual temporal profiles of hashtag usage display behaviors that typically fall into one of the following three categories: continuous activity, periodic activity, or activity concentrated around an isolated peak.

Continuous-activity profiles are those for which a rather constant level of daily activity is maintained by the user community (e.g., *music*). Hashtags with periodic activity profiles display series of spikes spaced by one or more weeks, or months (e.g., *followfriday*). Finally, activity profiles with an isolated peak are characteristic of hashtags associated with a unique event to which a user community pays attention for a limited span of time (e.g., *oscars*). In the following we will concentrate on this class of hashtags.

To identify activity peaks, for every hashtag H we compute the time series of daily activity, where the activity $n_H(i)$ on day i is defined as the number of tweets containing H . In the following we will write $n(i)$ to indicate the activity level of a generic hashtag. We use a sliding window of $2L+1$ days ($L=30$) centered on day i_0 , $T=[n(i_0-L), n(i_0-L+1), \dots, n(i_0-1), n(i_0), n(i_0+1), \dots, n(i_0+L-1), n(i_0+L)]$, and let i_0 slide along the activity time series for the hashtag. Within this window we evaluate the baseline hashtag activity as the median n_b of T . Then, we define the outlier fraction $p(i_0)$ of the central day i_0 as the relative difference of the hashtag activity $n(i_0)$ with respect to the median baseline n_b : $p(i_0)=[n(i_0)-n_b]/\max(n_b, n_{\min})$. Here $n_{\min}=10$ is a minimum activity level used to regularize the definition of $p(i_0)$ for low activity values. We say that there is an activity peak at i_0 if $p(i_0) > p_t$, where p_t is an arbitrary threshold value that in the following we set as $p_t=10$. We checked that different values of the threshold do not change significantly our results, and that the same peaks can be identified by using different peak-detection techniques.

Of course it may happen that for a given hashtag H the time series $n_H(i)$ exhibits more than one peak. Since we are interested in isolated popularity bursts, we ignore all peaks that are separated from other peaks by less than one week. Finally, for every hashtag we select the peak (if any) with the highest $p(i_0)$ and we offset the day index so that for all hashtags the activity peak occurs on day 0, as shown in Fig. 1. Using this method we select 115 peaks of daily hashtag activity: the corresponding hashtags are listed in

Appendix A, together with manual annotations about their meaning and a coarse classification.

3.3 Semantic Grounding

To correlate the temporal activity patterns with content, we perform a simple semantic grounding of the tweets by using the WordNet [36] semantic lexicon. For each tweet, we pre-process the text by removing user mentions (@username), hashtags, URLs and a standard set of English stop words. Then, for each word we perform stemming (with the standard Porter algorithm), lemmatization, and we finally attempt to look up in WordNet the corresponding synset (i.e., the basic node of the WordNet lexicon, a set of synonyms that refer to a single concept). From now on we will refer to WordNet synsets as *concepts*. Words for which no concept can be looked up in WordNet are ignored. If few or no terms are successfully looked up in WordNet as English words, we attempt to identify the tweet language: we run the TextCat [37] language categorization algorithm on the text and we discard the tweet if English is not included in the top 10 most likely languages identified by TextCat.

Overall, the above analysis identifies about 18,000 distinct concepts that are associated with the hashtags under study.

3.4 Social attention and popular hashtags

Typical examples of the activity profiles for the selected hashtags are shown in Figure 1. The curves are centered around the day on which the popularity reaches its maximum (day 0). The displayed time window spans one week before and after the peak. In the top plots of Figure 1 the activity of four sample hashtags is reported as a function of time in days after the peak. The bars on the top right display the percentage of activity before, at and after the peak. The four hashtags exhibit different behaviors in terms of approach to the peak (dark blue bars) and relaxation after the peak (light blue bars). The hashtag *masters* exhibits an anticipatory pattern, with a gradual build-up of activity before the peak. The hashtag *winnenden*, conversely, corresponds to an unexpected event, with a sudden onset of activity followed by a gradual relaxation. The hashtag *watchmen* displays both a gradual build-up of attention and a gradual relaxation after the peak. Finally, the hashtag *nsotu* concentrates almost all of its activity during the single day of the peak. In the middle plot row we show the activity of individual users as a function of time. Users who have posted the hashtag at least once (within the observation interval) are ranked according to the time of first usage of the hashtag (rank along the ordinate axis): early adopters lie at the bottom and late adopters are at the top. For each user, colored segments mark the times at which the hashtag under consideration was used. The inset bar plots show the fraction of users who used the hashtag more than once during the selected time window. Finally, in the bottom plot row we visualize the content of tweets as word clouds. Each word cloud contains the 50 most frequent words, with font sizes proportional to word frequencies. The patterns displayed by these hashtags are representatives of the four classes of activity peaks found in our analysis.

4. CLASSES OF POPULAR HASHTAGS

The possibility of classifying online popularity peaks in a few discrete classes has been discussed in the literature [7, 10, 8, 12, 9]. Typically the classification is done according




Figure 2: Mixture Gaussian model learned by using the Mclust implementation of the Expectation Maximization algorithm. The individual components have variable variance along both the f_a and f_b axes (VVI model of the Mclust implementation).

to the different shapes or functional forms of the increasing and decreasing parts of the popularity profiles. The origin of these few classes has been linked in the literature to two mechanisms that, to some extent, are present in most online social systems: endogenous propagation of information over the social network, and the injection into the system of information from exogenous online or offline sources. This scenario was tested for the evolution of popularity of YouTube videos [7, 8] and has also been discussed for trending topics or memes in Twitter [10, 12, 9]. The lack of a clear distinction between endogenous and exogenous information flow in Twitter means that the number of classes, the possible functional shapes of the popularity profiles, and even the importance of the endogenous/exogenous distinction are all far from clear [9].

Here we take a different approach and attempt to simplify the possible scenarios by shifting emphasis from the detailed time series of popularity to coarse-grained information on the balance of activity before, during, and after the popularity peak. To achieve this, for each hashtag exhibiting a popularity peak we summarize the hashtag usage timeline with the triple (f_b, f_p, f_a) of the fractions of tweets posted before (f_b) , during (f_p) and after the peak (f_a) . By definition these fractions satisfy $f_b + f_p + f_a = 1$. We restrict the computation to a two-week period centered on the peak time, as shown in the examples of Fig. 1.

4.1 Identifying Classes

We identify hashtag clusters in the (f_b, f_a) space of independent parameters using a standard implementation of the Expectation Maximization (EM) algorithm [38, 39] to learn an optimal Gaussian mixture model. The number of components (clusters) of the mixture is set by using the Bayesian Information Criterion, as well as by means of a 10-fold cross-validation, yielding in both cases the 4 clusters shown in Fig 2. The clusters are robust with respect to the initial conditions and parameters of the EM algorithms




Figure 1: Activity associated with four hashtags that exhibit a popularity peak: daily activity over time (top row), individual user activity (middle row), and word clouds of tweet content (bottom row).

(provided that care is taken to deal with the points on the $f_b = 0$ axis): 77% of the hashtags have a classification accuracy below 5%, and only 6% of them have a classification accuracy in excess of 20%.

Figure 3 shows the identified clusters in the 3-simplex (f_b, f_p, f_a) . The marker representing each of the 115 selected hashtag is colored and shaped according to the group it has been classified into. The hatched area is the parametric space excluded by the constraint that hashtags should have a peak-day activity of at least 10 times the baseline daily activity (i.e., the excluded parametric space is due to our selection of hashtags that exhibit a peak in their activity timeline). The four groups of Fig. 3 correspond to different temporal patterns of collective attention, as illustrated below in relation to the hashtags of Fig. 1.

- Activity concentrated *before and during* the peak (orange triangles). These hashtags correspond, by definition, to anticipatory behavior, with users posting increasing amount of content as the date of the event approaches, followed by a sharp drop in attention right after the event. See for example the hashtag #masters (underlined in the figure) which was used to discuss the 2009 Golf Masters.
- Activity concentrated *during and after* the peak (purple circles). In this class we find hashtags indicating unexpected events that make an impact, such as the #winnenden school shooting. The sudden onset of activity is a reaction to the unexpected event, and it is likely to be driven by exogenous sources such as communication in mass media.
- Activity concentrated *symmetrically* around the peak (red squares). These hashtags have neither the purely

anticipatory nor the purely reactive behaviors illustrated above, and this may indicate a mix of exogenous and endogenous factors building up collective attention to a peak intensity, as a specific day approaches, and then away from it as user attention shifts away. See for example the case of the hashtag #watchmen, used to discuss a blockbuster movie. The peak occurs on the day of the movie release in theatres.

- Activity almost totally concentrated *on the single day of the peak* (green rounded square). These hashtags correspond to transient collective attention associated with events that are highly discussed only while they happen, such as the 2009 State of The Union address (#nsotu), or the transient large-scale malfunctions of widely used Google services (#gfail).

These patterns are somehow expected, in the sense that these are the only possibilities for the coarse-grained temporal profile of a hashtag with a popularity peak. However, the existence of well defined hashtag clusters, as well as their stability, are far from trivial and indicate that coarse graining the temporal dynamics of collective attention as shown here can expose robust indicators of the social semantics associated with hashtags. The presence of clearly separated clusters may also be deeply linked to the diverse nature of the mechanisms driving popularity in online social systems. Details on the usage and origin of the hashtags shown in Fig. 3 are available in Appendix A.

4.2 Social Semantics of Classes

The examples discussed above, such as those of Fig. 1, point to important differences in the social semantics of the different classes of hashtags. In order to shed light on this




Figure 3: The four hashtag clusters in the (f_b, f_p, f_a) simplex. Orange triangles: activity concentrated before an event. Purple circles: activity concentrated after an event. Red squares: symmetric activity. Green round squares: activity concentrated on the day of an event. The hashtags of Fig. 1 are underlined.

aspect, we systematically analyze the content of the tweets associated with each group of hashtags, using the semantic grounding described in Section 3.3. WordNet provides hierarchical structures of concepts that can be made into a single directed acyclic graph by adding a root “entity” node as parent of the WordNet taxonomies. Thus, Wordnet can be used to coarse-grain the semantics of the looked-up terms by focusing on a given (high enough) level of the subsumption hierarchy. Our interest here is to provide a semantic fingerprint of the content associated with the different hashtag classes, in order to expose differences in their social semantics. The concepts at depth 4 of the WordNet hierarchy were identified as appropriate for this purpose, as that hierarchical level provides a good enough semantic diversity while featuring a small number of generic subsuming categories. We restricted our analysis to the concepts at depth 4 that occur most frequently in the text associated with the hashtags under study: the right-hand side of Fig. 4 lists the 15 selected WordNet concepts, together with sample terms that are subsumed by them.

To expose the semantic differences between hashtag classes we proceed as follows: For each hashtag we compute a normalized feature vector of the frequencies of occurrence of the selected WordNet concepts. We then average this vector over all hashtag belonging to a given class and obtain the class feature vectors of Fig. 4, where the radius of discs is proportional to the normalized frequency of the corresponding concept in a given class of hashtags. Clearly, different dynamic classes correspond to different semantics of the corresponding tweets. The content of hashtags with ac-

tivity concentrated before the peak has a stronger prevalence of concepts like “social events” and “time period” (e.g., **easter**), consistent with the social anticipation of a known event. Conversely, hashtags whose activity is concentrated after the peak, usually associated to unexpected events, include several marketing campaigns such as **macheist**, and this is reflected in the prevalence of concepts like “free” and “evidence”. Tags with the activity concentrated mostly on the peak day correspond to events that attract the users’ attention for short periods of time, such as sport events and media events (e.g., concepts associated with **oscar**, subsumed by the “symbol” concept). The detailed annotations of Appendix A allow to make contact between specific hashtags or hashtag classes and the information of Figs. 3 and 4. Notice that the observed selectivity between content and activity profiles may open the door to content tagging techniques based on popularity dynamics and on other behavioral cues.

5. INFORMATION SPREADING

Having identified classes of popular hashtags that differ in activity profiles and semantics, we now turn to investigating whether such classes are also associated with distinct patterns of information propagation. Similarly to the approach of Ref. [7], we regard information spreading as an epidemic process, where the behavior of using a given hashtag spreads from one user to another. The relevant social network for this epidemic process is Twitter’s *follower network*: whenever a user posts a given hashtag, her followers are exposed to the hashtag and can decide to adopt it in turn. Of course,




Figure 4: Semantic makeup of the hashtag classes: columns represent peak types and rows correspond to topics, i.e., concepts in the WordNet semantic lexicon. The radius of a circle is proportional to the average normalized frequency of the topic in the corresponding hashtag class. The displayed topics represent the most frequently observed generic concepts. Sample terms subsumed by them are reported in parenthesis.

users can also start using the hashtag spontaneously, as a result of exposure to external events (elections, sport matches, disasters, etc.) or to exogenous information sources.

5.1 Basic Features

The first feature we analyze is the fraction of retweets to total tweets in the messages associated with each hashtag under study. Retweets are forwarding actions in which a tweet from a followed user is delivered to one’s followers together with a reference to the source. Because of their nature, retweets have been investigated as a mechanism for information diffusion in Twitter [23]. The fraction of retweets is an indicator of how many (forwarded) copies are present in the tweets associated with a hashtag, and provides information on the spreading attitude of the corresponding topic. Retweets were identified both by checking for an initial “RT” marker or through tweet metadata. The top-left




Figure 5: Parameters controlling the spreading of hashtags, broken down by hashtag class. Top left: fraction of retweets to regular tweets. Top right: fraction of seeders γ . Bottom left: fraction β of followers that adopt the hashtag after seeing it. Bottom right: average time τ between the first tweet with the hashtag and the last one.

panel of Figure 5 reports the fraction of retweets for the four hashtag classes. A box plot is used to provide information on the dispersion of parameter values inside each hashtag class. Hashtags with the activity distributed symmetrically around the peak or concentrated at the peak day have a higher fraction of retweets. This supports the idea that those hashtags are associated with a higher level of endogenous activity, similarly to what happens for some YouTube videos [7]. Conversely, hashtags characterized by activity before the peak are associated to anticipatory behaviors and appear less prone to viral spreading.

The box-plot in the top-right panel of Fig. 5 reports the fraction γ of users who adopt the hashtag when none of the users they follow have used it before. In other words, γ estimates the fraction of “seeders” that inject the information related to the hashtag into the social network. Although the level of heterogeneity inside the four groups is high, we see that the hashtags with activity concentrated after the peak tend to have more seeders. This indicates that the propagation is probably fueled by exogenous factors, such as publicity campaigns or mass media communication. A further corroboration is provided by the semantic analysis of Fig. 4, as these hashtags contain concepts such as “sign” (sign-up for a service), “account” (create an account) or “free” that are usually associated with commercial campaigns that are heavily diffused in traditional media.

5.2 Epidemic Parameters

The box-plot in the bottom-left panel of Fig. 5 reports the average fraction β of a user’s followers who adopt the hashtag after he or she has posted a tweet containing it. In modeling epidemic processes, β is a measure of infectiousness. In this context, it bears information about the capacity of a behavior or meme to propagate from a user to her followers. The box-plot shows that β does not depend strongly on the hashtag class and its median value is about 0.02. This might suggest the existence of a generic mech-

anism controlling the propagation of the information over the Twitter social network independently of the content or popularity profile of the hashtags. The estimation of both γ and β depends on the sampling of the social network at hand. However, an analysis made using sub-samplings of the follower network obtained by cutting edges has showed that β is relatively stable to the level of sampling, while γ is more sensitive. Nevertheless, since our sampling of the network is fixed it is legitimate to compare the results obtained for different hashtags even in the case of γ .

Finally, in the bottom-right panel of Fig. 5 we report the average time τ , in hours, between the first tweet and the last tweet with the same hashtag posted by each user (we set $\tau = 0$ for those users who post the hashtag only once). That is, τ indicates the time during which users are likely to spread their use of the hashtag to followers. The four hashtags classes display similar values of τ except for the case of activity concentrated on the peak day. In that case, hashtags have the lowest τ value, since activity is concentrated in a small period of time corresponding, for example, to a short-term disruption of online services.

6. DISCUSSION

In summary, we performed an extensive analysis of the Twitter hashtags that exhibit a popularity peak. Previous work found that popularity peaks in online systems can be clustered in a few prototypical classes according to the temporal features of their popularity dynamics. Here we introduce a simple way of coarse-graining the temporal usage patterns of hashtags that exposes discrete dynamical classes. The clusters we find correspond to the four possible ways of distributing the hashtag activity with respect to the day of peak usage. Clusters are well defined and the classification of hashtags is stable with respect to small perturbations. We ground in a semantic lexicon the contents of tweets associated with popular hashtags, and find insightful correlations between the class a hashtag belongs to and the (social) semantics of the associated content. In particular, hashtags that are mostly active before reaching a peak usually deal with scheduled social events or specific moments in time, indicating an anticipatory collective behavior. Hashtag with symmetric activity patterns across the peak seem to be associated with endogenous propagation over the social network. Hashtags that only exhibit a tail of activity after the peak correspond to unexpected events or exogenous driving.

Furthermore, we measure standard parameters of epidemic propagation over the on-line social network and relate these parameter values to the different hashtag classes, to unveil patterns of injection or propagation of information. The balance between internal propagation (endogenous) and external injection of information was assumed so far to be the main explanation for the existence of different clusters of online popular events. Our results indicate that the content type is also very important. For instance, the hashtags used to discuss the “swine flu” pandemic (top of Fig. simplex) or a popular event such as the Oscars ceremony (bottom-left of the simplex) show markedly different popularity profiles despite the fact that both attract a high level of attention from the media. Both hashtags display high levels of external seeding, as well as relatively low levels of endogenous propagation. Thus, the different social semantics of these hashtags is likely the cause underlying the observed differences in activity dynamics.

We remark that a robust classification into dynamical classes of user attention was obtained by using very simple parameters computed on time series of daily popularity. Contrary to other methods, which require the estimation of power-law exponents for popularity growth, or the computation of expensive correlations between high-resolution activity time series, the parameters introduced here can be easily computed in a scalable way. While they lack predictive power, as they need a record of past activity to be computed, they can support the discovery of specific behavioral patterns in large-scale records of user activity. The robustness of the proposed approach, if confirmed in other settings, could support implicit temporal tagging of the Twitter data stream, where – for example – anticipatory behavior associated to a given date points to that date as a focus of collective expectation. The specific semantics that can be linked to a given temporal profile may be used to mine collective attention in order to construct implicit annotations of timelines on the basis of social media streams. Of course, this requires an extensive work of validation that falls outside the scope of the present work. Progress in this direction will require more refined content analysis by means of natural language processing and sentiment analysis, as well as validation in user studies or crowd-sourced settings.

7. ACKNOWLEDGMENTS

The authors thank the PIs of the Truthy project, Fil Menczer, Alessandro Flammini, Johan Bollen and Alessandro Vespignani, for their support and for many inspiring discussions. CC and JL thank André Panisson for interesting discussions and technical help. CC thanks Yamir Moreno for stimulating discussion. This work was carried out while JL was at the ISI Foundation with support from the Leonardo da Vinci Scholarship. JL acknowledges support from the Spanish Ministry of Science through the project TIN2009-14560-C03-01. JJR acknowledges support from the JAE program of the CSIC and from the Spanish Ministry of Science (MICINN) through the project MODASS (FIS2011-24785). CC acknowledges support from the Lagrange Project funded by the CRT Foundation and from the Q-ARACNE project funded by the Fondazione Compagnia di San Paolo.

8. REFERENCES

- [1] M. Vlachos, C. Meek, Z. Vagena, and D. Gunopoulos. Identifying similarities, periodicities and bursts for online search queries. In *Proc. 2004 ACM SIGMOD international conference on Management of data*, pages 131–142, 2004.
- [2] F Wu and B A Huberman. Novelty and collective attention. *PNAS*, 104:17599, 2007.
- [3] E. Adar, D.S. Weld, Bershada, B.N., and S.D. Gribble. Why we search: visualizing and predicting user behavior. In *Proc. WWW2007*, pages 161–170, 2007.
- [4] J.-P. Onnela and F. Reed-Tsochas. Spontaneous emergence of social influence in online systems. *Proc. Natl Acad. Sci.*, 107:18375–18380, 2009.
- [5] S. Goel, J. M Hofman, S. Lahaie, D. M Pennock, and D.J. Watts. Predicting consumer behavior with web search. *PNAS*, 107(41):17486–17490, 2010.
- [6] J. Ratkiewicz, F. Menczer, S. Fortunato, A. Flammini, and A. Vespignani. Traffic in social media ii: Modeling bursty popularity. In *SocialCom 2010: SIN*, 2010.

- [7] R Crane and D Sornette. Robust dynamic classes revealed by measuring the response function of a social system. *PNAS*, 105:15649, 2008.
- [8] F. Figueiredo, F. Benevenuto, and J. Almeida. The tube over time: Characterizing popularity growth of youtube videos. In *Proc. ACM International Conference on Web Search and Data Mining (WSDM)*, pages 745–754, 2011.
- [9] M. Naaman, H. Becker, and L. Gravano. Hip and trendy: Characterizing emerging trends on twitter. *J. Am. Soc. Inf. Sci.*, 62:902–918, 2011.
- [10] H. Kwak, C. Lee, H. Park, and S. Moon. What is twitter, a social network or a news media? *Proc. WWW2010*, page 591, Feb 2010.
- [11] S. Asur, B. A. Huberman, G. Szabo, and Wang C. Trends in social media : Persistence and decay. In *Proc. 5th International Conference on Weblogs and Social Media (ICWSM)*, page 434, 2011.
- [12] J. Yang and J. Leskovec. Patterns of temporal variation in online media. In *Proc. of the fourth ACM international conference on Web search and data mining*, pages 177–186, 2011.
- [13] J. Leskovec, L. Backstrom, and J. Kleinberg. Meme-tracking and the dynamics of the news cycle. In *Proceedings of the 15th ACM SIGKDD international conference on Knowledge discovery and data mining*, page 497, 2009.
- [14] J. Ratkiewicz, S. Fortunato, A. Flammini, F. Menczer, and A. Vespignani. Characterizing and modeling the dynamics of online popularity. *Phys. Rev. Lett.*, 105(15):158701, Oct 2010.
- [15] J. Huang, K. M. Thornton, and E. N. Efthimiadis. Conversational tagging in twitter. In *Proceedings of the 21st ACM conference on Hypertext and Hypermedia*, pages 173–178, 2010.
- [16] Shaomei Wu, Jake M Hofman, Winter A Mason, and Duncan J Watts. Who says what to whom on twitter. *Proc. WWW2011*, pages 1–10, Feb 2011.
- [17] <http://dev.twitter.com>.
- [18] A. Java, X. Song, T. Finin, and B. Tseng. Why we twitter: understanding microblogging usage and communities. In *Proceedings of the 9th WebKDD*, pages 56–65, 2007.
- [19] B Krishnamurthy, P Gill, and M Arlitt. A few chirps about twitter. In *Proceedings of the first workshop on Online social networks*, pages 19–24, 2008.
- [20] B.A. Huberman, D.M. Romero, and F. Wu. Social networks that matter: Twitter under the microscope. *First Monday*, 14:1, 2008.
- [21] C. Honeycutt and S. C. Herring. Beyond microblogging: Conversation and collaboration via twitter. In *Proc. 42nd Hawaii International Conference on System Sciences*, 2009.
- [22] M. Cha, H. Haddadi, F. Benevenuto, and K.P. Gummadi. Measuring user influence in twitter: The million follower fallacy. *Proc. International AAAI Conference on Weblogs and Social Media*, pages 1–8, Mar 2010.
- [23] W. Galuba, D. Chakraborty, K. Aberer, Z. Despotovic, and W. Kellerer. Outtweeting the Twitterers - Predicting Information Cascades in Microblogs. In *3rd Workshop on Online Social Networks (WOSN 2010)*, 2010.
- [24] K. Lerman and R. Ghosh. Information contagion: an empirical study of the spread of news on digg and twitter social networks. In *Proc. of 4th Int. Conf. on Weblogs and Social Media ICWSM*, volume abs/1003.2, pages 90–97. AAAI, 2010.
- [25] S. González-Bailón, J. Borge-Holthoefer, A. Rivero, and Y. Moreno. The dynamics of protest recruitment through an online network. *Nature Scientific Reports*, 1, 2011.
- [26] M. Mendoza, B. Poblete, and C. Castillo. Twitter under crisis: Can we trust what we rt? In *Proc. 1st Workshop on Social Media Analytics (SOMA '10)*, pages 71–79, 2010.
- [27] C. Castillo, M. Mendoza, and B. Poblete. Information credibility on twitter. *Proc. WWW2011*, pages 1–10, Jan 2011.
- [28] B. J. Jansen, M. Zhang, K. Sobel, and A. Chowdury. Twitter power: Tweets as electronic word of mouth. *Journal of the American Society for Information Science & Technology*, 60(11), 2009.
- [29] J. Ratkiewicz, M. Meiss, M. Conover, B. Gonçalves, S. Patil, A. Flammini, and F. Menczer. Truthy: Mapping the spread of astroturf in microblog streams. In *WWW '11 Proceedings of the 20th int. conf. companion on World Wide Web*, page 249, 2011.
- [30] J. Ratkiewicz, M. Conover, M. Meiss, B. Gonçalves, A. Flammini, and F. Menczer. Detecting and tracking political abuse in social media. In *Fifth International AAAI Conference on Weblogs and Social Media*, page 297, 2011.
- [31] P.S. Dodds, K.D. Harris, I.M. Kloumann, C.A. Bliss, and C.M. Danforth. Temporal patterns of happiness and information in a global social network: Hedonometrics and twitter. *PLoS ONE*, 6(12):e26752, 2011.
- [32] J. Bollen and H. Mao. Twitter mood as a stock market predictor. *IEEE Computer*, 44(10):91–94, 2011.
- [33] D. Romero, B. Meeder, and J. Kleinberg. Differences in the mechanics of information diffusion across topics: Idioms, political hashtags, and complex contagion on twitter. In *Proc. WWW2011*, pages 695–704, 2011.
- [34] D. Laniado and P. Mika. Making sense of twitter. In *Semantic Web - ISWC*, volume 6469, pages 470–485, 2010.
- [35] B. Gonçalves, N. Perra, and A. Vespignani. Modeling users' activity on twitter: validation of dunbar's number. *PLoS One*, 6:e22656, 2011.
- [36] <http://wordnet.princeton.edu/>.
- [37] <http://www.let.rug.nl/vannoord/textcat/>.
- [38] C. Fraley and A. E. Raftery. MCLUST version 3 for R: Normal mixture modeling and model-based clustering. *Department of Statistics, University of Washington*, 504, 2009.
- [39] C. Fraley and A. E. Raftery. Model-based clustering, discriminant analysis and density estimation. *Journal of the American Statistical Association*, 97:611–631, 2002.

APPENDIX

A. HASHTAG USAGE

hashtag name	event type	description
activity before peak		
advertising	twitter game	shorty awards for advertisements
apps	twitter game	shorty awards for applications
asot400	holiday/honor	event for the 400th episode of Armin van Buuren's radio show
cparty	convention	technology festival and LAN Party in Brazil (campus party)
earthhour	awareness/charity	event against climate change (turning off the lights for one hour)
easter	holiday/honor	celebration of Eastern
entertainment	twitter game	shorty awards for entertainment
firstfollow	twitter application	relates to #FollowFriday
macworld	convention	MacWorld conference & expo
masters	sport	golf tournament (masters cup)
mrtweet	twitter application	introduction of a new Twitter service to find people
myfirstjob	twitter game	sharing of first job experiences
nfl	sport	Super Bowl: Cardinals vs. Steelers
oneworld	twitter game	tweeting of a word that's in the mind of Twitter user
plurk	twitter application	integration of Plurk into Twitter (service similar to Twitter)
poynterday	holiday/honor	honoring of Dougie Poynter
rnchair	political	RNC chairmanship election
sxswi	convention	set of film, interactive and music festivals (South by Southwest)
teaparty	political	protests across the United States
therescue	awareness/charity	event from the organization "invisible children" against child soldiers in Northern Uganda
tweepme	twitter game	contest for the twitter application TweepMe
twestival	awareness/charity	charity event of cities to raise money for clean water
wbc	sport	Japan's World Baseball Classic
activity after peak		
amazonfail	disruption	demonstration against the new ranking of books in Amazon
americanidol	media	television competition to find new singing talents
blogger	twitter application	introduction of a new Twitter directory (WeFollow)
bsg	media	finale of Battlestar Galactica
contest	marketing/contest	competition to win the album "Cardinology" from Ryan Adams
cricket	sport	cricket game: India vs. England
earthday	awareness/charity	celebration of the earth day
evernoteclarifigiveaway	marketing/contest	competition to win iPhone 3G cases
free	marketing/contest	see #MacHeist
fridayfollow	twitter game	unusual tag for #FollowFriday
g20	political	G-20 summit
happy09	holiday/honor	congratulations to New Year's Eve
hoppusday	holiday/honor	honoring of Mark Hoppus of the band Blink182
inaug09	political	inauguration of Barrack Obama
job	twitter application	see #tweetmyjob
macheist	marketing/contest	offering of free DEVONthink licenses from the Website MacHeist
mix09	convention	conference for web designers and developers
peace	disruption	call of people for peace in Gaza
safari4	technic	beta release of the web browser Safari 4
skittles	marketing/contest	competition from the brand Skittles (candies)
spectrial	political	conviction of the Pirate Bay founders
starwarsday	media	Star Wars day (every May 4)
tweetmyjobs	twitter application	Twitter service for sending job posts
unfollowfriday	twitter game	countermovement to #FollowFriday
winnenden	disruption	school shooting at a school in Winnenden, Germany
yourtag	twitter application	see #blogger
zombies	disruption	see #blackout
activity at peak		
3hotwords	twitter game	tweeting of three hot word that's in the mind of Twitter user
aprilfools	holiday/honor	celebration of the April Fools' Day
bachelor	media	discussion of the finale episode of the reality show <i>The Bachelor</i> in the night before
blackout	disruption	electricity blackout in Sydney
budget	political	delivering of the budget statement in UK
crapnames forpubs	twitter game	tweeting of worst names for a pub
followme stephen	twitter game	call to Stephen Fry to follow him
gfail	disruption	gMail blackout
gmail	disruption	see #gfail
googmayharm	disruption	Google bug: Google may harm your computer
grammys	media	music award
horadoplaneta	awareness/charity	see #EarthHour
mikeyy	disruption	worm attack in Twitter
nerdpickup lines	twitter game	tweeting of phrases about computers, star wars, etc.
nfdraft	sport	people are giving advices for the NFL draft
nsotu	political	first state of the union of Barrack Obama
oscar	media	movie award
oscars	media	see #oscar

oscarwildeday	twitter game	competition by tweeting the best Wildean remarks, pics, etc. (game from Stephen Fry)
schiphol	disruption	airline crash at Amsterdam's Schiphol airport
snowmageddon	disruption	storm in Washington
superads09	sport	advertisements during the Super Bowl
superbowl	sport	championship game of the NFL
superbowlads	sport	see #superads09
<hr/>		
activity before and after peak		
<hr/>		
25c3	convention	conference organized by the Chaos Computer Club
brand	twitter game	shorty awards for brands
bushfires	disruption	bushfires in Australien
cebit	convention	computer expo (CeBIT)
ces	convention	see #ces09
ces09	convention	trade show for technology
chuck	media	see #SaveChuck
coalition	political	prime minister in Canada won the right to suspend the parliament
davos	political	annual meeting of global political and business elites
dbi	twitter application	douche bag index is used from TweetSum to rank your followers by relevance
design	twitter game	shorty awards for design
drupalcon	convention	event for DrupalCon developers (content management system)
geek	twitter application	see #blogger
glmagic	marketing/contest	competition to win over \$6,000 in electronics (from HP)
google	disruption	see #googlemayharm
h1n1	disruption	see #swineflu
hadopi	political	adoption of the HADOPI law of control and regulation of Internet access in France
house	media	unexpected suicide of Lawrence Kutner, one of the main characters in the series Dr. House
humor	twitter game	shorty awards for humor
ie6	activism	campaign against the usage of the IE6
iloveyou	twitter game	call to post <i>I love you</i> in online social networks
inauguration	political	see #inaug09
influenza	disruption	see #swineflu
leweb	convention	Internet conference in Paris (LeWeb)
phish	media	reunion show of the American rock band Phish (Mar 6-8th, 2009)
pman	activism	protests against Moldovas parliamentary elections
politics	twitter game	shorty awards for politics
ptavote	twitter game	PTAVote platinum Twitter award
rp09	convention	conference about Web 2.0 (re:publica)
safari	technic	see #safari4
savechuck	activism	call to save the television program <i>Chuck</i>
skype	technic	iPhone OS release including the integration of Skype
socialmedia	twitter application	see #blogger
swineflu	disruption	spread of the 2009 H1N1 virus (swineflu)
sxsw	convention	see #sxswi
ted	convention	conferences of luminary speakers
toc	convention	conference for the publishing and tech industries (Feb 9-11th 2009)
tweetbomb	twitter game	suggestion to bomb a person (mostly celebrities) with tweets
w2e	convention	Web 2.0 expo
watchmen	media	release of the movie <i>Watchmen</i>
web	twitter application	see #blogger